

## Pallet Leveller PL 2002 Specifications, PL 2002

|                    |             |
|--------------------|-------------|
| Model              | PL 2002     |
| Art. No.           | 86944       |
| Capacity           | 150-2000 kg |
| Lift stroke        | 464 mm      |
| Lowest height      | 241 mm      |
| Length             | 1110 mm     |
| Width              | 1110 mm     |
| Weight pack. incl. | 220 kg      |
| Turntable          | 1110 mm     |
| Total height       | 705 mm      |



## Pallet Leveller PL 2002

Automatic work level adjustment!

Pallet leveller PL 2002 is a highly reliable automatic load leveller that provides a practical approach to faster, easier and safer loading or unloading of pallets. The Pallet Leveller is adjustable by regulating the pneumatic charge. Once set the Pallet Leveller automatically maintains the top of the load to the proper and most ideal elevation to eliminate the repetitive motion of bending, reaching and twisting - the major cause of lower back disorders.

The new PL 2002 offers workers complete 360° access to loads. All of its components are contained within the diameter of the turntable ring. There are no protrusions, projections or obstructions, so reach-over zones are eliminated.

### Product features

- Heavy-duty reinforced airbag automatically adjusts as boxes are added or removed from pallets, keeping loads at a convenient, comfortable working height.
- Low-friction turntable spins easily for nearside loading and unloading.
- Extremely stable base - no lagging required.
- Ideal for use with non-uniform loads or loads of varying weights.
- Portable: requires no electrical power. Simply inflate the airbag with shop air or a portable compressor and use it anywhere.
- Integral fork channels for easy relocation.
- The top layer is maintained in the 750 to 1000 mm recommended ideal work height envelope.

1. Low-friction turntable spins easily for nearside loading and unloading

2. Easily accessible air outlet

3. Air bag fully protected

4. Integral fork channels for easy relocation

PL 2002 Full access 360°

Competitive Models Limited access

vs. When viewed from the top, the ergonomic advantage of the PL 2002 is obvious. The green area shows where workers can stand with unencumbered 360° access to loads.

Competitive units have obstructions that significantly reduce worker access to loads.

## Specifications

### Model

PL 2002

### Art. No.

86944

### Capacity

150 - 2000 kg

### Lift stroke

464 mm

### Lowest height

241 mm

### Length

1110 mm

### Width

1110 mm

### Total height

705 mm

### Turntable

1100 mm

Weight

220 kg incl. pack.

PL 2002 equipped with truck handling chassis

PL 2002 equipped with protective bellow