

restart

TEAM STRIKE



SitLand®

# COMFORTABLE, BREATHABLE, FUNCTIONAL

**Team Strike** is the collection of chairs that combines functionality and aesthetics to fulfil the needs of who desires a versatile office product.



## THE MECHANICS OF COMFORT

Team Strike features a synchro mechanism that allows adjusting the seat and back angle, lockable in 5 positions with anti-shock system. The tilt tension can be adjusted by a side handle, according to the user's weight.

## ASSISTED MOVEMENTS

Team Strike seat moves in tune with its user thanks to the possibility to adjust the depth and lock it in the required position through a practical side button.

## HEALTHY

To ensure proper posture and reduce muscular fatigue, Team Strike features a lumbar support with adjustable height that ensures proper support at the base of the spine.

## BREATHABLE

Team Strike back is in propylene upholstered in high-resistance 3D mesh, ensuring perfect hold, and adapts to the user's posture, ensuring utmost comfort and breathability.


## COMFORTABLE

For improved comfort, Team Strike seat pad is in flexible cold injected polyurethane foam, crushproof, with "Comfort-Air" technology.

## SUITABLE FOR ANY NEED

Team Strike collection satisfies different needs of use and space, thanks to its wide range of models and upholsteries. Different types of armrests, bases and casters offer the possibility to choose the most suitable version for your needs.

# DIMENSIONS AND MODELS



Executive

Operative

## MECHANISM

	EXECUTIVE	OPERATIVE
Synchro mechanism, lockable in 5 positions, with anti-shock function. The synchro mechanism allows the adjustment of the seat and back angle; the tilt tension of the back can be adjusted by a side handle, according to the user's weight.	<input type="checkbox"/>	<input type="checkbox"/>
Seat height adjustment gas lift.	<input type="checkbox"/>	<input type="checkbox"/>

## ARMS



Pair of 4D adjustable arms, in height and in width through a knob. Black polyamide support. Soft-touch black TPE Top, adjustable in depth and pivoting.



Pair of 4D adjustable arms, in height and in width through a knob. Black polyamide support. Soft-touch black TPE Top, adjustable in depth and pivoting.



Pair of 2D adjustable arms, in height and in width through a knob. Black polyamide support. Fixed top in soft-touch TPE.



Pair of armrests adjustable in height, arm support and top in polyamide, black colour.



Pair of armrests adjustable in height, black paint steel tube support, black polyurethane soft top with possible pivoting by lifting it.



Pair of 3D arms, adjustable in height; supports in black polyamide, soft polyurethane top, black colour, pivoting left/right and adjustable in depth.

## BASES



5 star die-cast aluminium base, polished, ø 690 mm.



High resistance 5-star base in black nylon with strengthening steel ring, ø 700 mm.



5-star die-cast aluminium base, polished, ø 700 mm.

## CASTERS



Self-braking rubber casters ø 50 mm for hard floors, black structure.



Free casters ø 50 mm, black structure.



Self braking casters ø 50 mm, black structure.



Self-braking rubber casters, ø 65 mm for hard floors.



Hollow free and rubber casters, ø 65 mm for hard floors, chromed structure.



Hollow free and rubber casters, ø 65 mm for hard floors, chromed structure.

## COLOURS, MATERIALS, FINISHING \*

### STRUCTURE FINISHING



Black polyamide

### BACK SUPPORT



Black painted aluminum



Polished aluminum

### PLASTIC FINISHING



Black polypropylene

### UPHOLSTERY



Ecological leather  
N 13 colours



Fabric  
AB Xtreme Plus  
19 colours



Fabric  
FA  
12 colours



Fabric  
ME  
21 colours



Fabric  
IP  
19 colours



Fabric  
FE  
21 colours



Mesh  
RR  
11 colours



Techno fabric  
CI-CX  
26 colours



Leather  
S  
13 colours



Ecological leather  
N  
13 colours

### BACK UPHOLSTERY



Mesh  
RP  
9 colours



Mesh  
RR  
9 colours



Mesh  
RF  
6 colours

\* Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product. Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more information.

## PCON.PLANNER



It is possible to configurate our model Team Strike by using pCon.planner program for the design of 2D an 3D environment.

pCon.planner allows to design working solutions in a fast and intuitive way, creating "realistic" images with advanced features, with a considerable saving of time and resources.

It is easy to start using pCon.planner: after downloading the software in the proper page, it is possible to download pCon.catalog, the practical online catalogue of products ready to be set up according to anyone's need, and then include the products in the projects.

For more information on the use of pCon.planner and the access to the products of the SitLand's catalogues, please contact [com@sitland.com](mailto:com@sitland.com)

## MORE INFORMATION

Please look through our catalogue to see all the different versions available of Team Strike

[http://www.sitland.com/sitland\\_catalogues/restart\\_catalogue/restart\\_catalogue.html#p=8](http://www.sitland.com/sitland_catalogues/restart_catalogue/restart_catalogue.html#p=8)

or see our Team Strike page into our web site [www.sitland.com](http://www.sitland.com)

## REACTION TO FIRE



Team Strike (upholstery cat. AB) comply with Class 1 IM that complies to the most stringent requirements of fire resistance.

Approval is issued by the Ministry of Interior 1IM Italian and certifies the class of fire reaction product. The approval is required for the decoration of public areas and to all activities subject to fire prevention such as conference rooms, bars, restaurants, hospitals, hotels, canteens, etc.

The tests performed are



## D.Lgs. 81/2008

Team Strike comply with the italian norm D.Lgs. 81/2008.

## WARRANTY



Team Strike has 5 years warranty. For any further detail, please contact SitLand's customer service at [service@sitland.com](mailto:service@sitland.com)



# UNI EN 1335 CERTIFICATION

Team Strike comply with the norm UNI EN 1335-3

The work conditions and the protection of the people at work, as far as safety and health are concerned, provide that "the office chairs" are produced according to the ergonomic principles and the functionality requirements contained in the following norms:

- UNI EN 1335-1, dimensions and definitions of the dimensions;
- UNI EN 1335-2, safety requirements
- UNI EN 1335-3, test procedures for the safety

The chairs are classified in three different classes according to their specific performance and dimensional characteristics:

- Class A considers the more restrictive dimensional requirements and mostly respect the anthropometric dimensions from 5 to 95% of the population.
- Class B considers the middle requirements among the classes, respecting the minimum requirements requested by D.Lgs. 81/2008.
- Class C considers the minimum requirements.


The tests performed are



on Team Strike executive with 4D arms 4D and 5 star die-cast aluminium base, polished, ø 690 mm.


## SEAT AND BACK STATIC LOAD TEST

Loading point A: 1.600 N  
Loading point B: 560 N  
Number of cycles: 10




## DURABILITY TESTS ON THE SEAT AND BACK

Loading point A: 1.500 N  
Number of cycles: 120.000  
Loading point C - B: 1.200 N - 320 N -  
Number of cycles: 80.000  
Loading point J - E: 1.200 N - 320 N -  
Number of cycles: 20.000  
Loading point F - H: 1.200 N - 320 N -  
Number of cycles: 20.000  
Loading point D - G: 1.100 N - 1.100 N -  
Number of cycles: 20.000




## TILT TOWARD THE FRONT

Load: 20 N



## LATERAL TILTING FOR SEATS WITH ARMRESTS

Armrest lateral force: 20 N




## FRONT TILTING

Load: 27 kg




## BACK TILTING FOR SEATS WITH TILTING BACK

Number of discs: 13



## STATIC LOAD ON THE FRONT OF THE SEAT

Load: 1.600 N  
Number of cycles: 10




The tests performed are



on Team Strike manager with 4D arms 4D and high resistance 5-star base in black nylon with strengthening steel ring, ø 700 mm.


## SEAT AND BACK STATIC LOAD TEST

Loading point A: 1.600 N  
Loading point B: 560 N  
Number of cycles: 10




**DURABILITY TESTS ON THE SEAT AND BACK**

Loading point A: 1.500 N  
 Number of cycles: 120.000  
 Loading point C - B: 1.200 N - 320 N -  
 Number of cycles: 80.000  
 Loading point J - E: 1.200 N - 320 N -  
 Number of cycles: 20.000  
 Loading point F - H: 1.200 N - 320 N -  
 Number of cycles: 20.000  
 Loading point D - G: 1.100 N - 1.100 N -  
 Number of cycles: 20.000




**FATIGUE STRENGTH OF ARMRESTS**

Load: 400 N  
 Number of cycles: 60.000




**RESISTANCE TO ROLLING OF THE SEAT WITH NO LOAD**

Test speed: 50 mm/s  
 Measured resistance: 14,4 N  
 Minimum allowed resistance: 12 N




**LATERAL TILTING**

Armrest lateral force: 20 N




**VERTICAL STATIC LOAD ON THE ARMREST**

Load: 750 N  
 Load: 900 N  
 Number of cycles: 5




**VERTICAL STATIC LOAD ON THE ARMREST**

Load: 450 N  
 Number of cycles: 5




**FRONT TILTING**

Load: 27 kg




**SEAT ROTATION**

Loading point A: 60 kg  
 Loading point C: 35 kg  
 Number of cycles: 120.000




**HORizontALE STATIC LOAD ON THE ARMREST**

Horizontal force: 400 N  
 Number of cycles: 10




**TILT TOWARD THE BACK**

Number of discs: 13




**TILT TOWARD THE FRONT**

Load: 20 N



**FATIGUE STRENGTH OF CASTERS**

Load on the seat: 110 kg  
 Number of cycles: 36.000





# SitLand®

SitLand S.p.A.  
Via Cà Silvestre, 52  
36024 Nanto - Vicenza - Italy  
info@sitland.com - www.sitland.com  
Tel. +39 0444 637100

SitLand S.p.A. is certified  
UNI EN ISO 9001: 2008  
UNI EN ISO 14001: 2004



Follow us on

