


re**start**

CLASSIC



SitLand®

A CLASSIC FOR THE OFFICE
Classic is the "evergreen" collection. A product defined by essential lines and valuable upholsteries.



STANDARD CLASS

Classic is the collection that responds with a touch of class, to the needs of executive and manager offices, but also to the needs of meeting rooms and waiting areas. In fact, Classic is available in the executive version with high back, manager and meeting version with fixed gliders.

THE MECHANICS OF COMFORT

Classic is equipped with a tilt mechanism on central axis lockable in work position or with knee tilt mechanism lockable in 4 positions, tension control according to the user's weight and anti-shock device.


COMFORTABLE AND STURDY

In addition to feature elegant lines, Classic is comfortable thanks to the seat and back padding in shaped foam polyurethane, CFC free.

ELEGANT ALSO IN THE DETAILS

Different types of upholstery, bases and casters offer the possibility to choose the most suitable version for your needs. Classic outer structure in steel tube is available chromed or painted in matt black. The armrests integrated in the seat match the structure and can be upholstered with a top in the same material of the armchair upholstery.


MODELS AND SIMENSIONS



Executive

Manager

Meeting without arms



Meeting with arms

MECHANISMS

	EXECUTIVE	MANAGER	MEETING
Tilting mechanism, with body-weight adjustment, lockable in working position.	<input type="checkbox"/>	<input type="checkbox"/>	
Knee tilt mechanism, lockable in 4 positions with anti-shock system, body-weight adjustment.	<input type="checkbox"/>		
Seat height adjustment gas lift.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fixed chair, swivelling, with memory return function.			<input type="checkbox"/>
Soft tilting with 3D system, suitable for meeting room; with gradual rocking front and back, and with the possibility of lateral rocking for the best comfort.			<input type="checkbox"/>

BASES



5 star die-cast aluminium base, polished, ø 690 mm.



5 star die-cast aluminium base, matt black RAL 9005 finish, ø 690 mm.



5 star die-cast aluminium base, polished, ø 690 mm.

CASTERS



Self-braking rubber casters, ø 50 mm for hard floors.



Free casters, ø 50 mm for soft floors.



Self-braking casters ø 50 mm.



Self-braking rubber casters, ø 65 mm for hard floors.



Hollow free and rubber casters, ø 65 mm for hard floors, black structure.



Hollow free and rubber casters, ø 65 mm for hard floors, chromed structure.

COLOURS AND MATERIALS *

FRAME FINISHING



Chromed finishing



Matt black RAL 9005 finishing

UPHOLSTERIES



Fabric ME
21 colours



Tessuto FE
21 colours



Fabric IP
21 colours



Ecological leather CI-CX
26 colours



Ecological leather N
13 colours



Leather TS
18 colours



Leather S
13 colours



Ecological leather N
13 colours

COVER ARMS UPHOLSTERIES



Fabric ME
21 colours



Fabric FE
21 colours



Ecological leather CI-CX
26 colours



Ecological leather N
13 colours



Leather TS
18 colours



Leather S
13 colours



Ecological leather N
13 colours

* Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product. Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more information.



It is possible to configure our model Classic by using pCon.planner program for the design of 2D an 3D environment.

pCon.planner allows to design working solutions in a fast and intuitive way, creating "realistic" images with advanced features, with a considerable saving of time and resources.

It is easy to start using pCon.planner: after downloading the software in the proper page, it is possible to download pCon.catalog, the practical online catalogue of products ready to be set up according to anyone's need, and then include the products in the projects.

For more information on the use of pCon.planner and the access to the products of the SitLand's catalogues, please contact com@sitland.com



Classic has 5 years warranty. For any further detail, please contact SitLand's customer service at service@sitland.com

Please look through our catalogue to see all the different versions available of Classic

http://www.sitland.com/sitland_catalogues/restart_catalogue/restart_catalogue.html#p=84

or see our Classic page into our web site www.sitland.com

Of Course comply with the norm UNI EN 1335-3

The work conditions and the protection of the people at work, as far as safety and health are concerned, provide that "the office chairs" are produced according to the ergonomic principles and the functionality requirements contained in the following norms:

- UNI EN 1335-1, dimensions and definitions of the dimensions;
- UNI EN 1335-2, safety requirements;
- UNIEN1335-3, test procedures for the safety

The chairs are classified in three different classes according to their specific performance and dimensional characteristics:

- Class A considers the more restrictive dimensional requirements and mostly respect the anthropometric dimensions from 5 to 95% of the population.
- Class B considers the middle requirements among the classes, respecting the minimum requirements requested by D.Lgs. 81/2008.
- Class C considers the minimum requirements.

The tests performed are:




on the following models:

- Classic manager
- Classic executive

For any further detail, please contact SitLand's customer service at service@sitland.com


STATIC LOAD ON THE FRONT OF THE SEAT

Load: 1.600 N
Number of cycles: 10




FRONT TILTING

Load: 27 kg
Applied in the furthest point of the seat from the rotation axis




SEAT AND BACK STATIC LOAD TEST

Load in A: 1.600 N
Load in B: 560 N
Number of cycles: 10




TILT TOWARD THE FRONT

Load: 20 N




LATERAL TILTING FOR SEATS WITH ARMRESTS

Armrest lateral force: 20 N




TILT TOWARD THE FRONT

Load: 20 N





BACK TILTING FOR SEATS WITH TILTING BACK

Number of discs: 13




DURABILITY TESTS ON THE SEAT AND BACK

Load in A: 1.500 N
 Number of cycles: 120.000
 Load in C - B: 1.200 N - 320 N - Number of cycles: 80.000
 Load in J - E: 1.200 N - 320 N - Number of cycles: 20.000
 Load in F - H: 1.200 N - 320 N - Number of cycles: 20.000
 Load in D - G: 1.100 N - 1.100 N - Number of cycles: 20.000




BACK TILTING FOR SEATS WITH TILTING BACK

Number of discs: 13




RESISTANCE TO ROLLING OF THE SEAT WITH NO LOAD

Test speed: 50 mm/s
 Measured resistance: 27 N
 Minimum allowed resistance: : 12 N




DURABILITY TESTS OF THE ARMREST

Application point compared to the most forward point of the armrest: 100mm
 Load: 400 N
 Number of cycles: 60.000



VERTICAL STATIC LOAD AT THE CENTRE OF THE ARM

Load: 900 N - 750 N
 Number of cycles: 5



SitLand®

SitLand S.p.A.
 Via Cà Silvestre, 52
 36024 Nanto - Vicenza - Italy
 info@sitland.com - www.sitland.com
 Tel. +39 0444 637100

SitLand S.p.A. is certified
 UNI EN ISO 9001: 2008
 UNI EN ISO 14001: 2004



Follow us on:

